NEW! NEAR ZERO RADIUS COLLECTION

Grids, strainer baskets, and accessories are available for all Neró sinks.





AC-GM-3118 Neró 31-18 Gunmetal

OUTSIDE DIMENSION	31" x 18" x 9"
INSIDEBOWL	29" x 16" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G
FINISH	Gunmetal Black SS

AC-GM-5050 Neró, 50/50, Gunmetal	
OUTSIDE DIMENSION	31" x 18" x 9"
EACH BOWL	14" x 16" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G
FINISH	Gunmetal Black SS





VSR-3118

Neró, 31-18, Stainless Steel	
OUTSIDE DIMENSION	31" x 18" x 9"
INSIDE BOWL	29" x 16" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G
FINISH	Gunmetal Black SS

VSR-5050	
Neró, 50/50, Sta	i

OUTSIDE DIMENSION	31" x 18" x 9"
EACH BOWL	14" x 16" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G
FINISH	Stainless Steel



VSR-4060

OUTSIDE DIMENSION	31 1/2" x 20 1/2" x 9"
LEFT BOWL	12 3/4" x 16" x 8"
RIGHT BOWL	15 3/4" x 18 1/2" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G
FINISH	Stainless Steel



Neró, 18-15,

OUTSIDE DIMENSION 18" x 14 3/4" x 8"

INSIDE BOWL 16" x 12 3/4" x 8"

INSTALLATION

Undermount **DRAIN SIZE**

3 1/2"

GAUGE

16G

FINISH

Stainless Steel

Nero **NEAR ZERO RADIUS SINKS**

Striking Neró near zero radius sinks will add a clean and stylish feel to any kitchen. These rectangular stainless steel basins have straight side panels brought together by precisely angled, tight corner degrees that create simple, straight lines. This contemporary collection of sinks complements modern decor and gives stainless steel a sophisticated look.

2

VSR-6040

Neró, 60/40, Stainless Steel	
OUTSIDE DIMENSION	31 1/2" x 20 1/2" x 9"
LEFT BOWL	15 3/4" x 18 1/2" x 9"
RIGHT BOWL	12 3/4" x 16" x 8"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G
FINISH	Stainless Steel





STAINLESS STEEL SINKS

All of our stainless steel sinks are manufactured with 304-series stainless steel, a proven industry-standard material: non-porous, hygienic, food-safe, rust-free, extremely durable, and easy to clean. 304-series stainless steel has a 18:10 chromium to nickel ratio, where chromium provides shine and durability, and nickel supplies hardness and strength.

Satin brush finishing conceals small scratches from everyday use, and undercoating and sound-deadening pads reduce both noise as well as condensation buildup on the underside of the sink. We carry a vast variety of sizes and configurations that are available in 18- and 16-gauge thickness.

Grids, strainer baskets, and accessories are available for most stainless steel sinks.



Stainless Steel, Double Bowl, 40/40		
OUTSIDE DIMENSION	29 1/8" x 18 1/2" x 8"	
INSIDEBOWL	Each: 13" x 16 1/2" x 8"	
INSTALLATION	Undermount	
DRAIN SIZE	3 1/2"	
GAUGE	18G	
FINISH	Stainless Steel	



VSS-4060

	, Double Bowl, 40/60
OUTSIDE DIMENSION	32" x 20 1/2" x 9"
LEFT BOWL	13" x 16 1/2" x 7"
RIGHT BOWL	15 3/4" x 18 1/2" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G or 18G
FINISH	Stainless Steel





VSS-6040 Stainless Steel, Double Bowl, 60/40

OUTSIDE DIMENSION	32" x 20 1/2" x 9"
LEFT BOWL	15 3/4" x 18 1/2" x 9"
RIGHT BOWL	13" x 16 1/2" x 7"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G or 18G
FINISH	Stainless Steel

VSS-3070

Stainless Steel, Double Bowl, 30/70	
OUTSIDE DIMENSION	31 1/2" x 20 1/2" x 9"
LEFT BOWL	10 5/8" x 16" x 7"
RIGHT BOWL	17 3/4" x 18 1/2" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	18G
FINISH	Stainless Steel



VSS-5050 and VSS-5050-ADA Stainless Steel, Double Bowl, 50/50 OUTSIDE DIMENSION 321/8" x 18" x 9"

EACHBOWL	Each: 14 1/2" x 16" x 9"
ADA-OUTSIDE DIMENSION	32 1/8" x 18" x 5 1/2"
ADA-EACH BOWL	Each: 14 1/2" x 16" x 5 1/2"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G or 18G
FINISH	Stainless Steel



VSS-7030 Stainless Steel, Double Bowl, 70/30

31 1/2" x 20 1/2" x 9" 17 3/4" x 18 1/2" x 9"
17 3/4" x 18 1/2" x 9"
10 5/8" x 16" x 7"
Undermount
3 1/2"
16G
Stainless Steel



5

0

3,0

0

50

6



	ADA
VSS-3018	and
VSS-3018	
Stainless Steel	, Single Bowl, 30-18
OUTSIDE DIMENSION	30" x 18" x 9"
INSIDE BOWL	28" x 16" x 9"

INSIDE BOWL	28" x 16" x 9"
ADA-OUTSIDE DIMENSION	30" x 18" x 5 1/2"
ADA-INSIDE BOWL	28" x 16" x 5 1/2"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G or 18G
FINISH	Stainless Steel



VSS-2318 Stainless Steel,

Bar Sink, 23-18 OUTSIDE DIMENSION 23" x 17 3/4" x 9" INSIDE BOWL 21" x 15 3/4" x 9" INSTALLATION Undermount DRAIN SIZE 3 1/2" GAUGE 18G FINISH Stainless Steel



Bar Sink, 13-11

INSIDE BOWL 12 3/4" x 10 3/4" x 7" INSTALLATION Undermount DRAIN SIZE 3 1/2" GAUGE 18G FINISH Stainless Steel



Stainless Steel, Single Bowl, 32-18	
OUTSIDE DIMENSION	32 1/8" x 18" x 9"
INSIDEBOWL	30 1/8" x 16" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	16G
FINISH	Stainless Steel





VSS-2718 Stainless Steel, Single Bowl, 27-18 27" x 18" x 9" OUTSIDE DIMENSION **INSIDE BOWL** 25" x 16" x 9" INSTALLATION Undermount 3 1/2" DRAIN SIZE 18G GAUGE

Stainless Steel

FINISH

Grids, strainer baskets, and accessories are available for most stainless steel sinks.



SS-2421

Stainless Steel, Bar Sink, 24-21	
OUTSIDE DIMENSION	23 1/2" x 21" x 9"
INSIDE BOWL	21 1/2" x 19" x 9"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	18G
FINISH	Stainless Steel





VSS-1311 Stainless Steel,

OUTSIDE DIMENSION 15" x 13" x 7"

VSS-1815

Stainless Steel, Bar Sink, 18-15

OUTSIDE DIMENSION 18 1/2" x 15" x 7"

INSIDE BOWL 16 1/2" x 13" x 7"

INSTALLATION Undermount


DRAIN SIZE 3 1/2"

GAUGE 18G

FINISH Stainless Steel

VSS-465 Stainless Steel, Bar Sink, Round

,	,,
OUTSIDE DIMENSION	18 3/8" x 7 1/8"
INSIDE BOWL	16" x 6 3/4"
INSTALLATION	Undermount
DRAIN SIZE	3 1/2"
GAUGE	18G
FINISH	Stainless Steel



°O

0



and acrylic resin under high pressure. The resulting surface is nonporous, naturally hygienic, and resistant to heat, stains, scratches, and chips. Available in five colors, these virtually indestructible sinks are a beautifully durable addition to any kitchen workspace.

Virtus Series, Si	
OUTSIDE DIMENSION	32 1/2" x 18 1/2" x 9"
INSIDEBOWL	30 1/4" x 16 1/4" x 9"

ISTALLATION	Undermount
RAINSIZE	3 1/2"
NISH/ITEM NUMBERS	Virtus-N-100-blackonyx, Virtus-N-100-chroma, Virtus-N-100-concrete, Virtus-N-100-mocha,

BLACK ONYX

PORCELAIN SINKS

Crafted from ceramic, or vitreous china, our timeless porcelain sinks add reliable function and signature style. With non-porous, durable surfaces, these sinks are naturally anti-bacterial and easy to clean and maintain. Porcelain sinks are available in classic white or bone white, complimenting any bathroom decor.

1626 and 1626b

Vanity Sink







ö

1628 and 1628b Vanity Sink

OUTSIDE DIMENSION	18" x 13" x 7 1/2"
INSIDE BOWL	16" x 11" x 5 1/2"
INSTALLATION	Undermount
DRAIN SIZE	1 3/4"
1628	White
1628B	Bone White



1633 and 1633b Vanity Sink

OUTSIDE DIMENSION	20 1/2" x 15 1/4" x 7 1/2"
INSIDE BOWL	18" x 13" x 5 1/2"
INSTALLATION	Undermount
DRAIN SIZE	1 3/4"
1633	White
1633B	Bone White





11

ACCESSORIES AND SUPPLIES

Accessories

To keep sinks working and looking their best, we carry CSE-certified strainer baskets, roll up drying mats, grid sets, and other accessories.

Supplies

Our large selection of sink installation products includes CSE-certified undermount sink clamps, razor blades, granite chip glue, and glue accelerator. 100% silicone is available in clear, white, and trans white, and other colors available upon request. Paintable acrylic is available in clear and white.

CHANGACHYLATI ADMEND

SPECIAL'T'

SC-HST-4

Super 'T' Instant Glue.

Gap Filling, 2 oz.

Available for most stainless steel sinks, More grids available than shown below

HOT STUFF

SC-HS-4

Hot Stuff Instant Glue.

Original. 2 oz.

Sink Grids







0911 and 0911XL Sinklt, Large and Xtra Large




VSS-101 Universal Strainer Basket, Fits all 3 1/2" drains



SC-HST-4T Special 'T' Instant Glue. Gap Filling, 2 oz.



84-0702CS Razor Blades. 100 Pack



CARE AND MAINTENANCE

Follow our general care and maintenance instructions everyday to get the most out of your sink.

Stainless Steel

1) Wet the sink with water, removing all food. 2) Sprinkle the sink with baking soda. 3) Scrub in the direction of the steel grain with a scrubbing pad. Use a toothbrush around fixtures and tight spaces. Rinse thoroughly. to avoid water spot and calcium buildup.

Granítis Granite Composite


CAUTION: Do not use Comet and other harsh chemicals. Do not use sandpaper. These will damage the finish of granite composite sinks.

1) Gently scrub with mild dish soap, a non-abrasive sponge, and warm water. Rinse thoroughly. 2) Buff sink dry with a few drops of olive oil and a lint-free cloth. 3) Keep sink dry in between use to avoid water spot and calcium buildup.

Porcelain

Gently scrub with liquid soap, a non-abrasive sponge, and warm water. Rinse thoroughly







4) Buff sink dry with a few drops of olive oil and a lint-free cloth until sparkling. 5) Keep sink dry in between use



Grid Sets Sink Grid + Roll Up Drying Mat, Available for most stainless steel sinks